


















# Product Spec. Sheet

## Diamond Series- 2 Monitor Dual Swivel Arm

2 in1(C-Clamp + Grommet) Type Monitor Arm EM43136



Product Name	Diamond Series- 2 Monitor Dual Swivel Arm
Model Number (color)	EM43136 (Silver Grey)
Product Includes	Dual Swivel Arm X 2, 2 in 1 (Clamp + Grommet) (Pole Length : 302mm), Dual Stand, Monitor Bracket X 2
Attachment Options	 Lock for Security
Product Dimension	L225 x W205 x H545mm    Weight : 5.8 KG
Units per Master Carton	3 pcs
Shipping Master Carton Dimension	L645XW560XH245 mm
Shipping Weight	N.W.:17.4Kg   G.W.:18.4Kg
Units per Pallet	54pcs
Warranty	14 Months
Weight Capacity	≤20kg (≤44lbs) the max weight for single arm is ≤14kg. (<30lbs) almost any VESA compliant monitor up to 27"
Country of Origin	Taiwan

<b>Features</b>	<ol style="list-style-type: none"> <li>1. Elegant, Stylish and Ergonomic design with high performance</li> <li>2. Wide Angle and height range for comfortable view position.</li> <li>3. Swift Movement with easy adjustment.</li> <li>4. 3 quick mode release function as Pivot stand, Swivel or Spring Arm.</li> <li>5. Easily do install and dismount.</li> <li>6. Aluminum alloy and metal material, strong and safety.</li> <li>7. Internal cable management routed cables neatly under arm.</li> <li>8. Space saving.</li> <li>9. A considerate Tool fixed design, no more worrying tool of placement.</li> <li>10. VESA MIS-D 75x75/100x100mm</li> </ol>
<b>Tech Specs</b>	<div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">   <b>VESA</b>  160mm </div> <div style="text-align: center;">   <b>LIFT</b>  0 </div> <div style="text-align: center;">   <b>ANGLE</b>  360° </div> <div style="text-align: center;">   <b>PIVOT</b>  360° </div> <div style="text-align: center;">   <b>SWIVEL</b>  360° </div> <div style="text-align: center;">   <b>PAN</b>  360° </div> <div style="text-align: center;">   <b>TILT</b>  105° </div> <div style="text-align: center;">   <b>EXTENSIO</b>  420mm </div> <div style="text-align: center;">   <b>VERTICAL</b>  0 </div> <div style="text-align: center;">   <b>Wt. Load</b>  ≤20kg </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;">     </div>
<b>Drawing</b>	<div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <div style="text-align: right; margin-top: 20px;"> <div style="border: 1px solid black; padding: 2px 10px;">EM43136</div> <div style="border: 1px solid black; padding: 2px 10px;">Unit:mm</div> </div>


# **LCD ARM SYSTEM** **USER'S MANUAL**

(螢幕支架使用手冊)


71H016135-015

## **1 Installation Method of Mount Type** (夾座安裝方法)

### **A C-Clamp (C型夾)**




### **B Grommet (穿桌夾)**




### **C Wall Mount (壁掛型)**


Wood (木質壁)




Concrete (水泥壁)




## **2 Install Arms** (安裝支架)



## **3 Install Monitors** (安裝螢幕)













## Route Cables













### Supplied Parts and Hardwares (包裝內部品及五金件)

[illegible]

## Features and Specification

										
	VSSA	LIFT	ANGLE	PIVOT	SAWVEL	PAN	TILT	EXTENSION	VERTICAL	RELEASE
EM31111	M10 (75x75/100x100)	200mm	0	360°	0	360°	105°	0	0	≦14kg
EM31116	M10 (75x75/100x100)	200mm	0	360°	0	360°	105°	0	0	≦14kg
EM31136	M10 (75x75/100x100)	200mm	0	360°	0	360°	105°	0	0	≦14kg
EM31114	M10 (75x75/100x100)	0	0	360°	0	180°	105°	0	0	≦14kg
EM32111	M10 (75x75/100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≦14kg
EM32116	M10 (75x75/100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≦14kg
EM32136	M10 (75x75/100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≦14kg
EM32114	M10 (75x75/100x100)	0	0	360°	180°	360°	105°	210mm	0	≦14kg
EM33111	M10 (75x75/100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≦14kg
EM33116	M10 (75x75/100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≦14kg
EM33136	M10 (75x75/100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≦14kg
EM33114	M10 (75x75/100x100)	0	0	360°	360°	360°	105°	420mm	0	≦14kg
EM34111	M10 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34116	M10 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34136	M10 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34114	M10 (75x75/100x100)	0	100°	360°	180°	240°	105°	330mm	270mm	2~9kg
EM34121	M10 (75x75/100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34128	M10 (75x75/100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34036	M10 (75x75/100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM35111	M10 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2~9kg
EM35116	M10 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2~9kg
EM35136	M10 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2~9kg

										
	VSSA (75x75/105x100)	LIFT	ANGLE	PIVOT	SWIVEL	PAN	TILT	EXTENSION	VERTICAL	WHEEL
EM35114	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35121	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35126	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35036	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM43111	M50 (75x75/105x100)	160mm	0	360°	360°	360°	105°	420mm	0	1x Wheel ≤20kg
EM43116	M50 (75x75/105x100)	160mm	0	360°	360°	360°	105°	420mm	0	1x Wheel ≤20kg
EM43136	M50 (75x75/105x100)	160mm	0	360°	360°	360°	105°	420mm	0	1x Wheel ≤20kg
EM43114	M50 (75x75/105x100)	0	0	360°	360°	360°	105°	420mm	0	≤30kg
EM45111	M50 (75x75/105x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	1x Wheel ≤20kg
EM45116	M50 (75x75/105x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	1x Wheel ≤20kg
EM45136	M50 (75x75/105x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	1x Wheel ≤20kg
EM45114	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM45121	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM45126	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM45036	M50 (75x75/105x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM52111	M50 (75x75/105x100)	350mm	0	360°	360°	360°	105°	210mm	0	1x Wheel ≤20kg
EM55111	M50 (75x75/105x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	1x Wheel ≤20kg
EM55116	M50 (75x75/105x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	1x Wheel ≤20kg
EM55136	M50 (75x75/105x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	1x Wheel ≤20kg
EM53211	M50 (75x75/105x100)	330mm	0	360°	360°	360°	105°	420mm	0	1x Wheel ≤20kg
EM53216	M50 (75x75/105x100)	330mm	0	360°	360°	360°	105°	420mm	0	1x Wheel ≤20kg
EM53236	M50 (75x75/105x100)	330mm	0	360°	360°	360°	105°	420mm	0	1x Wheel ≤20kg

**保固條款 (Scope of Guarantee)**

1. 客戶滿意是我們努力追求的目標，為維持提供客戶最先進的售後服務及關於消費者的權利，請仔細閱讀說明書內的資訊。
2. 為提高服務效率，請在維修保固及維修時提供購買發票或本保證書。
3. 在購買貨品時，請務必清楚購買貨品並加蓋店章。如有記號錯誤，會造成在保固期限內無法免費維修。
4. 如返廠保固期，消費者必須負擔零件及維修服務費。
5. 該按表列明之規格限制，正常使用本品，如使用貨使用超過產品規格之承受範圍，造成產品受損故障，者在保固期內，將不負責能並由消費者必須負擔零件及維修服務費。

1. Consumer's satisfaction with our products is the goal that we have been heading for. To assure the best after-sales service to consumers and ensure consumer's rights, please read carefully the information stated in the instruction manual.
2. To enhance our service efficiency, please provide purchase invoice or warranty card if request for product maintenance or merchandise exchange.
3. The actual date of purchase and sealed stamp by distributor on warranty card is required. Free after-sale service will not be guaranteed even under warranty period should any incomplete purchase information.
4. The costs of components and maintenance will be at consumer's expense should the product is invalid for warranty period.
5. Please refer to specification limitation specified in the instruction manual for correct usage. Even under the warranty period, this warranty does not cover the problems or damage resulting from the loading weight that exceeds the specification specified in the instruction manual and the misuse or abuse of the product.


**Warning:**

**Warning:**  
Please lift arm up to highest position while removing the monitor.  
The monitor arm could bounce upward to cause personal injury  
when the weight of monitor is removed.




# Pole with Clamp/Grommet Attachment User's Manual

## Grommet Type




## Clamp Type

**Step 1** ➔ Unscrew Hand-Turn Screw and separate Hand-Turn Screw and Long Metal Plate from the Mount.




### Service Kit



①	Screw M4x15mm, Round Head, Philips Drive	1
②	Male Round Washer	1
③	Female Round Washer	1
④	Metal C Clamp(L)	1
⑤	Metal C Clamp(S)	1
⑥	Screw M6x12mm, Round Head, Philips Drive	4
⑦	Screw M5x14mm, Flat Head, Hex Socket Screw	4
⑧	Pole with Clamp/Grommet Attachment User's Manual	1

**Step 2** ➔ Depends on the desk thickness, assemble 2 pieces of metal clamp at suitable screw holes with 4 screws (M5x15mm, round head, Philips Drive).




### Remark

Desk thickness > 50mm (1.97"), refer to chart A left.  
Desk thickness < 50mm (1.97"), refer to chart B left.


**Step 3** ➔ Get Screw (M4x15mm, Round Head, Philips Drive), Male & Female Round Washers from Service Kit.




#### Step 4 Assemble Hand-Turn Screw with C Clamp.



#### Step 5 Assemble C Clamp with Mount by driving 4 Screws M5x14mm, flap head, Hex Socket Screws.



#### Step 6 Stick EVA cushion to mount bottom. Mount assembly is completed for installation onto desk.



#### Step 7 Install Mount with Swivel Arm, Spring Arm, and Monitor Bracket.

### Parts & Hardware

Parts	QTY	Remark
Mount with Pole, Pole Cap, and Adjustment Ring	1	No Adjustment Ring on 82mm Clamp Mount
Hand-Turn Screw(Attached with Mount)	1	
EVA Cushion (Attached with Mount)	1	
Long Metal Plate(Attached with Mount)	1	
Screw M4x15mm, Round Head, Philips Drive	1	Inside Service Kit
Male Round Washer	1	Inside Service Kit

Parts	QTY	Remark
Female Round Washer	1	Inside Service Kit
Metal C Clamp(L)	1	Inside Service Kit
Metal C Clamp(S)	1	Inside Service Kit
Screw M6x12mm, Round Head, Philips Drive	4	Inside Service Kit
Screw M5x14mm, Flat Head, Hex Socket Screw	4	Inside Service Kit
Pole with Clamp/Grommet Attachment User's Manual	1	Inside Service Kit

### Tool

Tools Item	QTY	Remark
M3 Wrench	1	Inside Service Kit of Monitor Bracket
#3 Philips Screw Driver	1	Provided by users