


Product Spec. Sheet

Diamond Series- Swivel Arm















EM32116


C-Clamp Desk Mount LCD Monitor Arm



Product Name	Diamond Series - Swivel Arm
Model Number (color)	EM32116 (Silver Grey)
Product Includes	Swivel Arm, C-Clamp Type Desk Mount Base Monitor Bracket
Attachment Options	 Lock for Security
Product Dimens.	Product : L350xW114xH330 mm Weight : 1.91Kg Color Box : L 130*W224*H465 mm Weight : 2.5Kg
Units per Master Carton	6pcs
Shipping Master Carton Dimens.	Carton : L687x W480xH280 mm
Shipping Weight	N.W.: 15Kg G.W.: 16Kg
Units per Pallet	126pcs
Warranty	14 Months
Weight Capacity	< 15Kg (< 33lbs) almost any VESA compliant monitor up to 32"
Country of Origin	Taiwan

Features	<ol style="list-style-type: none"> 1. Elegant, Stylish and Ergonomic design with high performance 2. Wide Angle and height range for comfortable view position. 3. Swift Movement with easy adjustment. 4. 3 quick mode release function as Pivot stand, Swivel or Spring Arm. 5. Easily do install and dismount. 6. Aluminum alloy and metal material, strong and safety. 7. Internal cable management routed cables neatly under arm. 8. Space saving. 9. A considerate Tool fixed design, no more worrying tool of placement. 10. VESA MIS-D 75x75/100x100mm
-----------------	---

Tech Specs	<div>           </div> <div> VESA LIFT ANGLE PIVOT SWIVEL PAN TILT EXTENSIO VERTICAL Wt.Load </div> <div> 0-200mm 0 360° 360° 360° 360° 105° 0-210mm 0 ≤14kg </div> <div>     </div>
-------------------	--


Drawing	 <p style="text-align: center;">Untis : mm</p> <h2 style="text-align: center;">EM32116 Product line Drawing</h2>
----------------	--




71H016135-015

1 Installation Method of Mount Type (夾座安裝方法)

A C-Clamp (C型夾)




B Grommet (穿桌夾)





C Wall Mount (壁掛型)


Wood (木質壁)




Concrete (水泥壁)



2 Install Arms (安裝支架)



3 Install Monitors (安裝螢幕)



Route Cables



1. 經本廠產品之設計及組裝程序，為加強消費者使用安全起見特將此項保證書及關於消費者之權利、權利行使與救濟等事項，印於保證書背面。請在購買時注意及索取此項保證書以保護其權益。

2. 為維護品質起見，請在保用期間內及賣場內或經本公司認可之維修處更換零件。

3. 在買貨地點，應向賣場負責人領取此項通知書，如無通知書，當即成為非正式買客及失去資格。

4. 凡欲換取保證書者，須持原包裝箱及下列各項資料：

5. 保證書背面之姓名與地址，正確姓名與地址；

6. 向該店購買此項商品之收據或發票，或商品零售憑證，若無任何收據，不滿意可隨時退貨並要求退還原款及運費等費。

7. Consumer's satisfaction with our products is the goal that we have been heading for. To assure the best after-sale service to consumers and ensure consumer's rights, please read carefully the information stated in the instruction manual.

8. To enhance our service efficiency, please provide purchase invoice or warranty card if request for product maintenance or merchandise exchange.

9. The actual date of purchase and affect sold by distributor on warranty card is required. Free after-sale services will not be guaranteed without evidence showing the actual date of purchase.











10. The goals of components and materials used at consumer's expense should be the product is invalid for warranty period.











11. Please refer to specification limitation specified in the instruction manual for correct usage. Even under the warranty period, this warranty does not cover the problem or damage resulting from the loading weight that exceeds the specification specified in the instruction manual.

請將左手臂移至最高位置，同時移走顯示器。顯示器臂可能會彈起，導致人身受傷，當重量從顯示器上卸除時。

[illegible]

Features and Specification

										
	VESA (75x75/100x100)	LIFT (75x75/100x100)	ANGLE (75x75/100x100)	PIVOT (75x75/100x100)	SWIVEL (75x75/100x100)	PAN (75x75/100x100)	TILT (75x75/100x100)	EXTENSION (75x75/100x100)	VERTICAL (75x75/100x100)	WELOAD (75x75/100x100)
EM31111	UP-0 (75x75/100x100)	200mm	0	360°	0	360°	105°	0	0	≤14kg
EM31116	UP-0 (75x75/100x100)	200mm	0	360°	0	360°	105°	0	0	≤14kg
EM31136	UP-0 (75x75/100x100)	200mm	0	360°	0	360°	105°	0	0	≤14kg
EM31114	UP-0 (75x75/100x100)	0	0	360°	0	180°	105°	0	0	≤14kg
EM32111	UP-0 (75x75/100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≤14kg
EM32116	UP-0 (75x75/100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≤14kg
EM32136	UP-0 (75x75/100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≤14kg
EM32114	UP-0 (75x75/100x100)	0	0	360°	180°	360°	105°	210mm	0	≤14kg
EM33111	UP-0 (75x75/100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≤14kg
EM33116	UP-0 (75x75/100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≤14kg
EM33136	UP-0 (75x75/100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≤14kg
EM33114	UP-0 (75x75/100x100)	0	0	360°	360°	360°	105°	420mm	0	≤14kg
EM34111	UP-0 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34116	UP-0 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34136	UP-0 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34114	UP-0 (75x75/100x100)	0	100°	360°	180°	240°	105°	330mm	270mm	2~9kg
EM34121	UP-0 (75x75/100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34126	UP-0 (75x75/100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM34036	UP-0 (75x75/100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2~9kg
EM35111	UP-0 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2~9kg
EM35116	UP-0 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2~9kg
EM35136	UP-0 (75x75/100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2~9kg

										
	VESA (75x75/100x100)	LIFT (75x75/100x100)	ANGLE (75x75/100x100)	PIVOT (75x75/100x100)	SWIVEL (75x75/100x100)	PAN (75x75/100x100)	TILT (75x75/100x100)	EXTENSION (75x75/100x100)	VERTICAL (75x75/100x100)	WHEEL (75x75/100x100)
EM35114	H350 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35121	H350 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35126	H350 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35036	H350 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM43111	H430 (75x75/100x100)	160mm	0	360°	360°	360°	105°	420mm	0	H430 Load ≤20kg
EM43116	H430 (75x75/100x100)	160mm	0	360°	360°	360°	105°	420mm	0	H430 Load ≤20kg
EM43136	H430 (75x75/100x100)	160mm	0	360°	360°	360°	105°	420mm	0	H430 Load ≤20kg
EM43114	H430 (75x75/100x100)	0	0	360°	360°	360°	105°	420mm	0	≤30kg
EM45111	H450 (75x75/100x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	H450 Load ≤20kg
EM45116	H450 (75x75/100x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	H450 Load ≤20kg
EM45136	H450 (75x75/100x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	H450 Load ≤20kg
EM45114	H450 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM45121	H450 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM45126	H450 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM45036	H450 (75x75/100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	Each Arm ≤9kg
EM52111	H520 (75x75/100x100)	330mm	100°	360°	360°	360°	105°	210mm	0	H520 Load ≤20kg
EM55111	H550 (75x75/100x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	H550 Load ≤20kg
EM55116	H550 (75x75/100x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	H550 Load ≤20kg
EM55136	H550 (75x75/100x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	H550 Load ≤20kg
EM53211	H530 (75x75/100x100)	330mm	100°	360°	360°	360°	105°	420mm	0	H530 Load ≤9kg
EM53216	H530 (75x75/100x100)	330mm	0	360°	360°	360°	105°	420mm	0	H530 Load ≤9kg
EM53236	H530 (75x75/100x100)	330mm	0	360°	360°	360°	105°	420mm	0	H530 Load ≤9kg