

Product Spec. Sheet


Diamond Series- Pivot Stand
















EM31116

C-Clamp Mount LCD Monitor Arm

Quick Install & Dismount



Product Name	Diamond Series – Pivot Stand
Model Number (color)	EM31116 (Silver Grey)
Product Includes	C-Clamp Base, Monitor Bracket
Attachment Options	 Lock for Security
Product Dimens.	Product : L150xW114xH330 mm Weight : 1.51Kg Color Box : L 130*W140*H545 mm Weight : 1.75Kg
Units per Master Carton	8pcs
Shipping Master Carton Dimens.	Carton : L560*W535*H300mm
Shipping Weight	N.W.: 14Kg G.W.: 15Kg
Units per Pallet	8pcs
Warranty	14 Months
Weight Capacity	< 15Kg (< 33lbs) almost any VESA compliant monitor up to 32"
Country of Origin	Taiwan


Features	<ol style="list-style-type: none"> 1. Elegant, Stylish and Ergonomic design with high performance 2. Wide Angle and height range for comfortable view position. 3. Swift Movement with easy adjustment. 4. Easily do install and dismount. 5. Aluminum alloy and metal material, strong and safety. 6. Space saving. 7. A considerate Tool fixed design, no more worrying tool of placement. 8. VESA MIS-D 75x75/100x100mm
Tech Specs	<div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  VESA 0-200mm </div> <div style="text-align: center;">  LIFT 0 </div> <div style="text-align: center;">  ANGLE 360° </div> <div style="text-align: center;">  PIVOT 0 </div> <div style="text-align: center;">  SWIVEL 360° </div> <div style="text-align: center;">  PAN 105° </div> <div style="text-align: center;">  TILT 0 </div> <div style="text-align: center;">  EXTENSIO ≤14kg </div> <div style="text-align: center;">  VERTICAL 0 </div> <div style="text-align: center;">  Wt.Load ≤14kg </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;">     </div>
Drawing	 <p style="text-align: center; color: red; font-weight: bold;">Untis : mm</p>




71H016135-015

1 Installation Method of Mount Type (夾座安裝方法)

A C-Clamp (C型夾)




B Grommet (穿桌夾)




C Wall Mount (壁掛型)


Wood (木質牆)




Concrete (水泥牆)



2 Install Arms (安裝支架)



3 Install Monitors (安裝螢幕)













4 Route Cables (理線)

④

Parts	Model 型号	
	EM0111	EM0116
C Clamp (C型夹座)	*	*
Grommet (穿桌夹座)	*	*
2 in 1 (二合一)	*	*
Wall Mount (牆座)	*	*
M6 Wrench (M6六角扳手)	*	*
M3 Wrench (M3六角扳手)	*	*
EVA Cushion (软垫)	*	*
Anconex 2 Screw x2 (螺丝 x2 螺孔 x2)	*	*
Spring Arm(弹簧臂)	*	*
Swivel Arm (延伸臂)	*	*
Monitor Mount (螢幕固定座)	*	*
Cable Clip (理線夾)	*	*
Dual Stand (分支座)	*	*

①

										
	VESA	LIFT	ANGLE	PIST	SWIVEL	PAN	TILT	EXTENSION	VERTICAL	W/Load
EM31111	WFO (75x100x100)	200mm	0	360°	0	360°	105°	0	0	≤14kg
EM31116	WFO (75x100x100)	200mm	0	360°	0	360°	105°	0	0	≤14kg
EM31136	WFO (75x100x100)	200mm	0	360°	0	360°	105°	0	0	≤14kg
EM31114	WFO (75x100x100)	0	0	360°	0	180°	105°	0	0	≤14kg
EM32111	WFO (75x100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≤14kg
EM32116	WFO (75x100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≤14kg
EM32136	WFO (75x100x100)	200mm	0	360°	360°	360°	105°	210mm	0	≤14kg
EM32114	WFO (75x100x100)	0	0	360°	180°	360°	105°	210mm	0	≤14kg
EM33111	WFO (75x100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≤14kg
EM33116	WFO (75x100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≤14kg
EM33136	WFO (75x100x100)	200mm	0	360°	360°	360°	105°	420mm	0	≤14kg
EM33114	WFO (75x100x100)	0	0	360°	360°	360°	105°	420mm	0	≤14kg
EM34111	WFO (75x100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2-9kg
EM34116	WFO (75x100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2-9kg
EM34136	WFO (75x100x100)	200mm	100°	360°	360°	240°	105°	330mm	270mm	2-9kg
EM34114	WFO (75x100x100)	0	100°	360°	180°	240°	105°	330mm	270mm	2-9kg
EM34211	WFO (75x100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2-9kg
EM34216	WFO (75x100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2-9kg
EM34036	WFO (75x100x100)	0	100°	360°	360°	240°	105°	330mm	270mm	2-9kg
EM35111	WFO (75x100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35116	WFO (75x100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35136	WFO (75x100x100)	200mm	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35114	WFO (75x100x100)	0	100°	360°	360°	240°	105°	540mm	270mm	2-9kg
EM35111	WFO (75x100x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	Not Natively ≤20kg
EM35116	WFO (75x100x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	Not Natively ≤20kg
EM35136	WFO (75x100x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	Not Natively ≤20kg
EM35114	WFO (75x100x100)	160mm	100°	360°	360°	240°	105°	540mm	270mm	Not Natively ≤20kg
EM35111	WFO (75x100x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	Not Natively ≤20kg
EM35116	WFO (75x100x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	Not Natively ≤20kg
EM35136	WFO (75x100x100)	330mm	100°	360°	360°	240°	105°	540mm	270mm	Not Natively ≤20kg
EM35211	WFO (75x100x100)	330mm	0	360°	360°	360°	105°	420mm	0	Not Natively ≤20kg
EM35216	WFO (75x100x100)	330mm	0	360°	360°	360°	105°	420mm	0	Not Natively ≤20kg
EM35236	WFO (75x100x100)	330mm	0	360°	360°	360°	105°	420mm	0	Not Natively ≤20kg

1. 經戶滿意是我們努力追求的目標，為給用戶提供戶用變壓器無後顧之憂及屬於消費者的權利，請仔細閱讀供電網內外的資料。
2. 為提高產品效率，請在保修期及換貨時提供原裝貨物及安裝成本信息。
3. 在購買產品時，請務必認真購買並且認真查驗，如收到變壓器，會造成在保固期內變成免費維修。
4. 如無保固期限，消費者必須負擔零件及維修服務費。
5. 請按照說明書之規格使用，正常使用本產品，如使用者使用超過產品規格之承受重量，造成產品受損故障，則在保固期內，將不負義務維修，消費者必須負擔零件及維修服務費。

1. Consumer's satisfaction with our products is the goal that we have been heading for. To assure the best after-sale service to consumers and ensure consumer's rights, please read carefully the information stated in the instruction manual.

2. To enhance our service efficiency, please provide purchase invoice or warranty card if request for product maintenance or merchandise exchange.

3. The actual date of purchase and affixed seal by distributor on warranty card is required. Free after-sale service will not be guaranteed even under warranty period should any incomplete purchase information.

5. Please refer to specification limitation specified in the instruction manual for correct usage. Even under the warranty period, this warranty

does not cover the problems or damage resulting from the loading weight that exceeds the specification specified in the instruction manual, and the costs of components and maintenance will be at consumer's expense.

Warning:

Warning:

Please lift arm up to highest position while removing the monitor. The monitor arm could bounce upward to cause personal injury when the weight of monitor is removed.

